ELSEVIER

Forest Ecology and Management 175 (2003) 591–593

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 175

VOLUME 175, ISSUES 1–3 **3 MARCH 2003**

Monitoring stand structure in mature coastal Douglas-fir forests: effect of plot size
A. Gray (Corvallis, OR, USA). 1
Conditioning a distance-dependent competition index to indicate the onset of inter-tree competition
P.J. Radtke, J.A. Westfall and H.E. Burkhart (Blacksburg, VA, USA). 17
Continuity in fire disturbance between riparian and adjacent sideslope Douglas-fir forests
R. Everett, R. Schellhaas, P. Ohlson, D. Spurbeck and D. Keenum (Washington, DC, USA). 31
Influence of deer, cattle grazing and timber harvest on plant species diversity in a longleaf pine bluestem ecosystem
D.G. Brockway (Auburn, AL, USA) and C.E. Lewis (Gainesville, FL, USA) 49
Forest regeneration and the influences of white-tailed deer (*Odocoileus virginianus*) in cool temperate New Zealand rain forests
P.J. Bellingham (Lincoln, New Zealand) and C.N. Allan (Invercargill, New Zealand) 71
Spatial distribution patterns of the dominant canopy dipterocarp species in a seasonal dry evergreen forest in western Thailand
S. Bunyavejchewin (Bangkok, Thailand), J.V. LaFrankie (Singapore, Singapore), P.J. Baker (Seattle, WA, USA), M. Kanzaki (Kyoto, Japan), P.S. Ashton (Cambridge, MA, USA) and T. Yamakura (Osaka, Japan) 87
Measurement and prediction of biomass and carbon content of *Pinus pinaster* trees in farm forestry plantations, south-western Australia
P. Ritson and S. Sochacki (Kensington, Australia) 103
Adaptive genetic variation of *Prosopis chilensis* (Mol) Stuntz. Preliminary results from one test-site
G. Verzino (Cordoba, Argentina), C. Carranza, M. Ledesma (Villa Dolores, Argentina), J. Joseau (Cordoba, Argentina) and J. Di Rienzo (Cordoba, Argentina) 119
Development of conifer seedlings roots on soil and fallen logs in boreal and subalpine coniferous forests of Japan
Y. Narukawa and S. Yamamoto (Nagoya, Japan) 131
Effects of canopy conditions on the regeneration of major tree species in an old-growth *Chamaecyparis obtusa* forest in central Japan
D. Hoshino (Nagoya, Japan), N. Nishimura (Okayama, Japan) and S. Yamamoto (Nagoya, Japan) 141
Seasonal changes of floral frequency and composition of flower in two cool temperate secondary forests in Japan
T. Abe and K. Kamo (Ibaraki, Japan). 153
Influence of long-term dormant-season burning and fire exclusion on ground-dwelling arthropod populations in longleaf pine flatwoods ecosystems
J.L. Hanula and D.D. Wade (Athens, GA, USA) 163
Calcium mineralization in the forest floor and surface soil beneath different tree species in the northeastern US
F.A. Dijkstra (Wageningen, The Netherlands and Millbrook, NY, USA) 185
Performance of forest plantations in small and medium-sized farms in the Atlantic lowlands of Costa Rica
D. Piotto (Turrialba, Costa Rica), F. Montagnini (New Haven, CT, USA), L. Ugalde and M. Kanninen (Turrialba, Costa Rica) 195
Species and site characteristics that permit the association of fast-growing trees with crops: the case of *Eucalyptus deglupta* as coffee shade in Costa Rica
M. Schaller (Recife, Brazil), G. Schroth (Manaus, Brazil), J. Beer and F. Jiménez (Turrialba, Costa Rica) 205
Influence of sapling height and temperature on damage to advance regeneration
L. Eliasson (Umeå, Sweden), H. Lageson (Boden, Sweden) and E. Valinger (Umeå, Sweden) 217
Modelling long-term effects of forest management on epiphytic lichens in northern Sweden
H. Dettki and P.-A. Esseen (Umeå, Sweden) 223

PII: S0378-1127(03)00024-0

Variability of radial growth in cork oak adult trees under cork production
A. Costa, H. Pereira and A. Oliveira (Lisboa, Portugal) 239
Scale and dynamics of a transforming forest landscape
S. Löfman and J. Kouki (Joensuu, Finland) 247
Growth and development of the root system of Norway spruce (*Picea abies*) in forest stands—a review
J. Puhe (Göttingen, Germany) 253
Assessing the potential role of ground beetles (Coleoptera, Carabidae) as bioindicators in poplar stands, with a newly proposed ecological index (FAI)
G. Allegro (Casale Monferrato, Italy) and R. Sciaky (Milan, Italy) 275
Effects of irrigation on diameter growth and vertical resin duct production in *Pinus sylvestris* L. on dry sites in the central Alps, Switzerland
A. Rigling (Birmensdorf, Switzerland), H. Brühlhart (Biel, Switzerland), O.U. Bräker, T. Forster and F.H. Schweingruber (Birmensdorf, Switzerland) 285
Effect of selective logging on canopy and stand structure and tree species composition in a lowland dipterocarp forest in peninsular Malaysia
T. Okuda, M. Suzuki (Tsukuba, Japan), N. Adachi (Kawaguchi, Japan), E.S. Quah, N.A. Hussein and N. Manokaran (Kepong, Malaysia) 297
Diversity of plant assemblages in managed temperate forests: a case study in Normandy (France)
M. Aubert, D. Alard and F. Bureau (Mont Saint Aignan, France) 321
Conservation of soils in culturally protected woodlands in rural Hong Kong
C.Y. Jim (Hong Kong) 339
Predicting the height–diameter pattern of planted *Pinus kesiya* stands in Zambia and Zimbabwe
K. Eerikäinen (Joensuu, Finland) 355
Short- and long-term effects of site preparation, fertilization and vegetation control on growth and stand development of planted loblolly pine
U. Nilsson (Alnarp, Sweden) and H. Lee Allen (Raleigh, NC, USA) 367
Evaluation of trees indigenous to the montane forest of the Blue Mountains, Jamaica for reforestation and agroforestry
M.A. McDonald (Bangor, UK), A. Hofny-Collins (Uppsala, Sweden), J.R. Healey and T.C.R. Goodland (Bangor, UK) 379
Gastropod diversity in aspen stands in coastal northern Sweden
O. Suominen, L. Edenius, G. Ericsson and V. Resco de Dios (Umeå, Sweden) 403
The effects of fertiliser or wood ash on nitrate reductase activity in Norway spruce fine roots
M. Genenger, S. Zimmermann (Birmensdorf, Switzerland), E. Frossard (Lindau, Switzerland) and I. Brunner (Birmensdorf, Switzerland) 413
Felled or standing retained wood—it makes a difference for saproxylic beetles
M. Jonsell and J. Weslien (Uppsala, Sweden) 425
The habitat requirements of hazel grouse (*Bonasa bonasia*) in managed boreal forest and applicability of forest stand descriptions as a tool to identify suitable patches
J. Åberg (Riddarhyttan, Sweden), J.E. Swenson (Ås, Norway and Trondheim, Norway) and P. Angelstam (Riddarhyttan, Sweden) 437
Bamboo control of forest succession: *Guadua sarcocarpa* in Southeastern Peru
B.W. Griscom and P.M.S. Ashton (New Haven, CT, USA) 445
Impacts of plantation development, harvesting schedules and rotation lengths on the rare snail *Tasmaphena lamproides* in northwest Tasmania: a population viability analysis
R.J. Taylor (Hobart, Australia), T. Regan (Parkville, Australia), H. Regan (Santa Barbara, CA, USA), M. Burgman (Parkville, Australia) and K. Bonham (Sandy Bay, Australia) 455
Composition and quality of harvest residues and soil organic matter under windrow residue management in young hoop pine plantations as revealed by solid-state ^{13}C NMR spectroscopy
N.J. Mathers (Nathan, Australia), Z. Xu (Indooroopilly, Australia and Nathan Australia), T.J. Blumfield, S.J. Berners-Price (Nathan, Australia) and P.G. Saffigna (Nathan, Australia and Gatton Australia) 467
S_B distribution's accuracy to represent the diameter distribution of *Pinus taeda*, through five fitting methods
J.R.S. Scolforo, F.C.V. Tabai, R.L.G. de Macedo, F.W. Acerbi Jr. and A.L. de Assis (Lavras, Brazil) 489
Spatial models of site index based on climate and soil properties for two boreal tree species in Ontario, Canada
D.W. McKenney and J.H. Pedlar (Sault Sainte Marie, Canada) 497
Influence of skid trails and haul roads on understory plant richness and composition in managed forest landscapes in Upper Michigan, USA
D.S. Buckley (Knoxville, TN, USA), T.R. Crow (Grand Rapids, MN, USA), E.A. Nauertz (Rhinelander, WI, USA) and K.E. Schulz (Edwardsville, IL, USA) 509

Potential productivity of three interior subalpine forest tree species in British Columbia
K. Klinka (Vancouver, Canada) and H.Y.H. Chen (South Porcupine, Canada) 521
Use of habitat features, edges and harvest treatments by spruce grouse in subalpine forest
D.J. Huggard (Vancouver, Canada) 531
Biological constraints on the growth of hardwood regeneration in upland Piedmont forests
M.A. Romagosa and D.J. Robison (Raleigh, NC, USA) 545
Bark-stripping by Sika deer (*Cervus nippon*) in *Larix kaempferi* plantations in central Japan
T. Nagaike and A. Hayashi (Yamanashi, Japan) 563
Nitrogen availability in disturbed, rehabilitated and mature forests of tropical China
J. Mo (Guangdong, PR China), S. Brown (Arlington, VA, USA), S. Peng and G. Kong (Guangdong, PR China) 573

Short communication
Spatial variability of soil respiration in a larch plantation: estimation of the number of sampling points required
M.H. Yim, S.J. Joo, K. Shutou and K. Nakane (Higashi-Hiroshima, Japan) 585

Erratum 589

Contents of *Forest Ecology and Management*, Volume 175 591